



Products:

GPS SPLITTER :

Key Features

- Frequency response for GPS L1/L2, Galileo, & GLONASS
- Amplified and Passive Versions Available
- Excellent Gain Flatness
 - Gain |L1-L2| < 2dB
- RoHS/WEEE Compliant
- Designed to MIL-STD-810



GPS REPEATER



SYSTEM INCLUDE S

- » Passive Antenna
- » Active Antenna
- » Swivel & Pole Mount
- » COPRO Surge Protector
- » 3 ft (.9m) C240 coaxial cable
- » Up to 100 ft (30.48m) C240 coaxial cable

GPS AMPLIFIER



GPS ANTENNA



Active GPS Antenna Passive GPS Antenna

GPS L1/L2 GLONASS PASSIVE AND ACTIVE ANTENNA

GPS ATTENUATORS



GPS Attenuator Mini Housing GPS Attenuator

In-Line Attenuator

GPS MILITARY PRODUCTS

- 1x2 Mil Spec GPS Splitter
- 1x4 Mil Spec GPS Spitter
- Echo II 1x4
- PADS, Roll On/Off or Permanent Installation
- ECHO II 1X1
- GLI Cobra
- GLI-Viper
- GLI-Diamondback
- GLI-Cottonmouth
- GLI-Copperhead
- GLI-HangarM

GPS FILTERS

- L12F - Bandpass Filter
- L1FM - Bandpass Filter Mini Housing
- L1FT - Bandpass Filter Tiny Housing

Accessories

- BT1 - GPS Bias Tee
- Co-Pro - Surge / Coax Protector
- DCB - GPS DC Block
- Coax-Seal easy seal for antennas